



Solid Sun Stick SPF20

ID	Anhydrous / AS.013
pH-value	N/A
Viscosity	N/A
Product form	Anhydrous stick

	Ingredient	INCI-name	% w/w	Supplier
1	Candelilla Wax	Euphorbia Cerifera (Candelilla) Wax	3.50	Koster Keunen
	Sunflower Seed Oil	Hydrogenated Sunflower Seed Oil	8.00	MMP Inc.
	Vanilla Butter	Prunus Amygdalus Dulcis (Sweet Almond) Oil, Helianthus Annuus (Sunflower) Seed Oil, Hydrogenated Vegetable Oil, Vanilla Planifolia Fruit Oil	26.00	MMP Inc.
	Vercare ANTIOX 70	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	0.10	Jover Scientech
2	CCT 132	Caprylic/Capric Triglyceride	20.40	MMP Inc.
	Clearocast® D5	Hydrogenated Ethylhexyl Olivat, Hydrogenated Olive Oil Unsaponifiables	15.00	MMP Inc.
	Eusolex T-AVO	Titanium Dioxide, Silica	8.00	Merck
	Ronacare Zinc Oxide	Zinc Oxide	4.00	Merck
	RonaFlair Flawless	Silica, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491)	5.00	Merck
3	Sisterna A10E-C	Sucrose Tetrastearate Triacetate	10.00	Sisterna

Production method

1. Mix the ingredients at 75°C in the listed order.
2. Heat until completely transparent and homogeneous.
3. Pour directly into suitable packaging while molten.
4. Cool down slowly to room temperature. Final viscosity will be built up after 48h.