



## Delicate Sandy Scrub

<b>ID</b>	Gel-to-milk / GE.015
<b>pH-value</b>	Not Applicable
<b>Viscosity</b>	244.400 mPa.s Brookfield, Spindle 94, 5 rpm
<b>Product form</b>	Gel-to-milk

	Ingredient	INCI-name	% w/w	Supplier
1	Glycerin	Glycerin	30.00	several
	Sisterna SP70-C	Sucrose Stearate	2.00	Sisterna
2	VS - Olive Squalane	Squalane	5.00	EFP Biotek
	Lipex Preact	Canola Oil	12.00	AAK
	GSOLight	Vitis Vinifera (Grape) Seed Oil	20.00	EFP Biotek
	VAS - Vegetable Alternative to Silicone	Hydrogenated Ethylhexyl Olivat, Hydrogenated Olive Oil Unsaponifiables	12.00	EFP Biotek
	Organic Jojoba Oil Refined	Simmondsia Chinensis (Jojoba) Seed Oil	12.00	several
3	Matcha Infusion 354261-A	Parfum	1.00	Luzi
	Phytpeel Green Rhyolite 300	Pumice, Shellac, CI 77288	6.00	GreenPhyt

### Production method

1. Disperse Sisterna SP70-C into the glycerin (1) and heat up to 70°C.
2. Mix the ingredients of the oil phase (2) in given order and heat up to 75°C.
3. Add (2) to (1) slowly while homogenising.
4. Cool down to 35 °C and add the ingredients of (3) to (1+2) while stirring.

**Formulation prepared via concentrated emulsification procedure.**